

Fitting instructions

Make: Renault

Megane II; 2002->

Megane III; 2008->


Megane II
Coupe (3doors); 2008->

Scenic II; 2003->

Scenic III; 2009->

Grand Scenic ; 2004->

Scenic XMod; 2013->




- NL Montagehandleiding
- GB Fitting instructions
- D Montageanleitung
- F Instructions de montage
- S Monteringsanvisningar
- DK Montagevejledning
- E Instrucciones de montaje
- I Istruzioni per il montaggio
- PL Instrukcja montażu
- SF Asennusohjeet
- CZ Pokyny k montáži
- H Szerelési útmutató
- RUS Руководство для монтажа



BRiNK®

Your perfect fit
brink.eu

ser.nr:





ser.nr:



Megane II; 2002->
Scenic II; 2003->
Grand Scenic; 2004->
Scenic III; 2009->





Megane III; 2008->
Scenic III; 2009->
Megane III coupe; 2008->
Scenic XMod; 2013->



ser.nr:



Megane II; 2002->
Scenic II; 2003->
Grand Scenic; 2004->
Scenic III; 2009->

Megane III; 2008->
Scenic III; 2009->
Megane III coupe; 2008->
Scenic XMod; 2013->










D-value

$$D = \frac{2072 \times 1350 \times 9.81}{1000} = 8,10 \text{ kN}$$

Diagram showing two cars with K/G max labels and a plus sign between them.





0km

+

1000km



HINWEISE:



* Die für das Fahrzeug zugelassene Anhängelast ist den Fahrzeug Unterlagen zu entnehmen. Bei Änderungen des Fahrzeuggewichtes muß die höchstzulässige Anhängelast gegebenenfalls aus dem D-Wert nachgerechnet werden.

Auskunft hierüber kann Ihr Fachhändler oder der TÜV geben.

* Elektrische Anlage gemäß StVZO anbringen.




For Megane III; 2008->




Other models

2




only on megane / scenic



3a


only on grand scenic




3b





only on grand scenic









5




6











15





16




17




only on grand scénic



18



19



only on grand scénic

20

A technical diagram of the rear of a Renault Scénic Mégane. The central image shows the rear of the car with a license plate that reads "Scénic Mégane". Eight circular callouts are connected by lines to specific mounting points on the rear: two on the left side (top and bottom), two on the right side (top and bottom), and four in the center (top, middle-left, middle-right, and bottom). Each callout shows a detailed view of the mounting hardware, including bolts, nuts, and brackets, used to secure the rear bumper and license plate.

[illegible]

